#### MOJAVE DESERT AIR QUALITY MANAGEMENT DISTRICT

**BRAD POIRIEZ**, *EXECUTIVE DIRECTOR* 14306 Park Avenue, Victorville, CA 92392-2310 760.245.1661 • Fax 760.245.2022

Email: engineering@mdaqmd.ca.gov www.MDAQMD.ca.gov • @MDAQMD

# Application for air pollution control equipment only

Remit **\$288.00** with this document

Number of beds:

Inlet temperature:

Dimensions of bed: thickness:

Minimum control efficiency: \_\_\_

Regeneration: Replacement Steam

Describe method to monitor control efficiency and breakthrough:

Regeneration method: shut down

(**\$164.00** for change of owner)



inches H<sub>2</sub>O

#### PLEASE TYPE OR PRINT **Section 1: Owner information** a. Permit to be issued to (company name): b. Federal tax ID #: c. Mailing/billing address (for above company name) include city, state and zip code: d. Facility or business license name (for equipment location): e. Facility Address — Location of equipment (if same as for company, enter "Same"): Equip. coordinates (lat/long): f. Contact name: Title: Email address: Phone: Company NAICS: General nature of business: Type of Organization ☐ Individual owner Partnership ☐ Corporation ☐ Utility ☐ Local agency ☐ State agency ☐ Federal agency **Section 2: Nature of application** Application is hereby made for the following equipment: Application is for what type of permit: For modification or change of owner: ☐ New construction ☐ Modification ☐ Change of owner Current Permit Number Do you claim Confidentiality of Data? Yes (attach explanation; specify which information provided is confidential) No Section 3: Equipment information — Complete sections A-G as applicable Note: Each control unit requires a separate application A. Adsorption units: Flow diagram of emissions source and control unit: ☐ included Manufacturer specifications/guarantee: included Manufacturer: Model: Serial No.: Adsorbent: Activated charcoal: type ☐Other: specify Adsorbate(s):

-For District use only-

surface area:

☐ Other, specify:

☐ alternate use, specify:

°F

Weight of adsorbent per bed:

Pressure drop across unit:

\_mg/m<sup>3</sup>

other, specify:

Application number:	Invoice number:	Permit number:	Company/facility number:

Flow diagram of emissions source and co	ntrol unit: 🗌 included	Manufacturer specifications/guarantee: ☐ include	d
Manufacturer:	Model:	Serial No.:	
Combustion chamber dimensions: lengt	h: in. Cross secti		
Fuel:  natural gas propane	CARB diesel  other, s		
Number and rating of burners:		1	F:
Inlet temperature:	°F	Pressure drop across unit:	inches H <sub>2</sub> C
Gas flow rate: dscfm			
Catalyst used:  , please describe:			
 Heat exchanger used: □, please describ	e:		
Minimum control efficiency:		ma/m³	
Describe method to monitor control effic	iency and breakthrough:		
C: Condenser units:			
Flow diagram of emissions source and co		Manufacturer specifications/guarantee: 🔲 include	ed
Manufacturer:	Model:	Serial No.:	
Heat exchange area: ft²			
Coolant rate: units t	ype: 🗌 water 🔲 air	☐ CARB diesel ☐ other, specify:	
Gas flow rate: dscfm Coola	ant temp.: inlet °F	outlet °F Gas temp.: inlet °F outl	et '
	ppmv iency and breakthrough:	mg/m³	
Describe method to monitor control effic	iency and breakthrough:	mg/m³	
Describe method to monitor control effic  D. Electrostatic precipitator un	iency and breakthrough:		
Describe method to monitor control effice  D. Electrostatic precipitator unelement of emissions source and co	iency and breakthrough:  its:  ntrol unit:	Manufacturer specifications/guarantee: ☐ include	
Describe method to monitor control effice  D. Electrostatic precipitator unely a source and control of the cont	iency and breakthrough:  its:  ntrol unit:		
Describe method to monitor control effice  D. Electrostatic precipitator unely a source and company to the source are as a source and company to the source are as a source and company to the source are as a source and company to the source are as a source and company to the source are as a source and company to the source are as a source and company to the source are as a source and company to the source are as a source and company to the source are a source and company to the source are as a source and company to the source are as a source and company to the source are as a source and company to the source are as a source and company to the source are as a source and company to the source are as a source are a source are a source are a source are as a source are a	iency and breakthrough:  its: ntrol unit:  included Model:	Manufacturer specifications/guarantee: ☐ include	
Describe method to monitor control effic  D. Electrostatic precipitator un  Flow diagram of emissions source and co  Manufacturer:	iency and breakthrough:  its: ntrol unit:  included  Model:	Manufacturer specifications/guarantee: ☐ include	
Describe method to monitor control efficiency  D. Electrostatic precipitator un Flow diagram of emissions source and companience and companience area: ft²  Gas flow rate: dscfm  Describe method to monitor control efficience.	its: ntrol unit: included Model:	Manufacturer specifications/guarantee: ☐ include Serial No.:	ed
Describe method to monitor control efficience.  D. Electrostatic precipitator unclosed diagram of emissions source and companies.  Collecting electrode area: ft²  Gas flow rate: dscfm  Describe method to monitor control efficience.  E. Filter units  Flow diagram of emissions source and companies.	its:  ntrol unit:	Manufacturer specifications/guarantee: ☐ include Serial No.:  Manufacturer specifications/guarantee: ☐ included	ed
Describe method to monitor control efficience.  D. Electrostatic precipitator uner low diagram of emissions source and control efficience.  Collecting electrode area: ft²  Gas flow rate: dscfm  Describe method to monitor control efficience.  E. Filter units  Flow diagram of emissions source and control efficience.	its: ntrol unit: included Model:	Manufacturer specifications/guarantee: ☐ included  Serial No.:  Manufacturer specifications/guarantee: ☐ included  Serial No.:  Serial No.:	ed
Describe method to monitor control efficience.  D. Electrostatic precipitator une Flow diagram of emissions source and control efficience.  Collecting electrode area: ft²  Gas flow rate: dscfm  Describe method to monitor control efficience.  E. Filter units  Flow diagram of emissions source and control efficience.  Manufacturer: Filtering material:	its:  ntrol unit:	Manufacturer specifications/guarantee: ☐ include Serial No.:  Manufacturer specifications/guarantee: ☐ included	ed
Describe method to monitor control efficience.  D. Electrostatic precipitator uner in the control of the contro	its: ntrol unit:   included   Model:   included   Model:   mtrol unit:   included   Model:   included   Model:   included   Model:   included   Model:   included   i	Manufacturer specifications/guarantee: ☐ included  Serial No.:  Manufacturer specifications/guarantee: ☐ included  Serial No.:  Filtering area:	ed
Describe method to monitor control effice  D. Electrostatic precipitator une  Flow diagram of emissions source and co  Manufacturer:	its: ntrol unit:   included   Model:   included   Model:   mtrol unit:   included   Model:   included   Model:   included   Model:   included   Model:   included   i	Manufacturer specifications/guarantee: ☐ included  Serial No.:  Manufacturer specifications/guarantee: ☐ included  Serial No.:  Serial No.:	ed
Describe method to monitor control efficiency  D. Electrostatic precipitator un  Flow diagram of emissions source and co  Manufacturer:  Collecting electrode area: ft <sup>2</sup> Gas flow rate: dscfm	its: ntrol unit:   included   Model:   included   Model:   included   Model:   included   Model:   included   Model:   included   in	Manufacturer specifications/guarantee: ☐ included  Serial No.:  Manufacturer specifications/guarantee: ☐ included  Serial No.:  Filtering area:	ed

inches

bhp

Describe method to monitor control efficiency and breakthrough:

Fan size:

Motor size: \_

F. Scrubber units				
Flow diagram of emissions source and control unit: $\Box$	included	Manufacturer sp	ecifications/guarantee:	☐ included
Manufacturer: Model:			Serial No.:	
Type of scrubber:				
$\square$ high energy, gas stream pressure drop: inch	es H <sub>2</sub> O			
packed: packing type packing size	pack	king material heigh	t	
spray: number of nozzles nozzle pressure		PSIG		
other, specify:				
Flow type: $\square$ concurrent $\square$ countercurrent $\square$ cros	sflow			
Scrubber dimensions: length in direction of gas flow		cross sectional are	ea sq. in.	
Scrubbant: Scrubbant flow rate:				
Control efficiency: %ppmv		mg/m³		
Describe method to monitor control efficiency and break	through:			
G. Other types:				
Equipment description:	ام ماريط مط	Manufacturer	an a sifi antions / averante o	. Displayed
Flow diagram of emissions source and control unit:   Manufacturer: Model:			specifications/guarantee	
Gas flow rate: dscfm			Serial No.:	
Control efficiency: %ppmv	$\leftarrow$			
Section 4: Emissions data				
Emission Factor Basis (attach any source specified):				
☐ Manufacturer ☐ Source test ☐ MDAQMD defau ☐ Other (please specify):				
Emissions data:	ts	Post contr	ol max. emissions	Units
		1 031 00111	C. Max. Cilibbiotis	Sincs
NO <sub>x</sub>				<del> </del>
NMHC				
co Manag	lan	ent D	ictrict	
PM <sub>10</sub>				
SO <sub>x</sub>				
4/)				1
Toxic pollutants — Please include a list of all toxic air poll	utants an	nd their emission ra	tes if known.	) `
Section 5: Operation information	1/0			
Fuel Consumption: at max rated loa	-/-	al/hour SCF/ho	our MMBtu/hr	
Typical load:		J		
Facility annual operation by quarters (percent):  Uniform OR % Jan-Mar % Apr-Jun		1 ' '	ting hours of equipment day Days/wk	

Total annual hours

\_% Jul-Sep \_\_\_

\_% Oct-Dec

## **Section 6: Receptor information**

Distance (feet) and direction to the property line of closest:	residence	business	school
Name of closest school (K-12)			
If the proposed equipment operates within 1,000 feet of a schoo	l site and operation results i	n the emission of hazardo	ous air
pollutants, a public notice will be required at the expense of the	applicant (CH&S §42301.6)		

### **Section 7: Certification**

I hereby certify that all information contained herein is tru	ue and correct.	
Name of responsible official Official title	Signature of responsible official	 Date signed
Phone:	Email:	

#### **Application submission instructions:**

- 1) Submit completed application to Engineering@mdaqmd.ca.gov
- 2) Pay the corresponding application fee of \$288 per permit for new or modified permit (or \$164 for change of owner) via check or credit card.

#### Payment by check:

Make check payable to the Mojave Desert AQMD Mail the check with a copy of this completed application to:

#### **Mojave Desert AQMD**

14306 Park Avenue Victorville, CA 92392

#### Payment by credit card:

Pay online at http://www.mdaqmd.ca.gov Click "Pay Fees"

Please note: a surcharge applies for all credit card payments.

3) If payment is made online via credit card, please email the receipt to Engineering@mdaqmd.ca.gov Should you have any additional questions, please, do not hesitate to contact the permitting division at 760-245-1661, or via email at **engineering@mdaqmd.ca.gov** 



<sup>\*</sup>Please note: District staff may contact you for further information. Failure to provide additional information as requested in a timely manner may result in delays in the processing of this permit application.